
**2024 RAM CAB & CHASSIS CA 60 TRADESMAN 6.4L V8 4WD
WHITE CLEARCOAT 8-SPEED AUTOMATIC**

- BODY STYLE 4D Crew Cab
- EXTERIOR COLOR Bright White Clearcoat
- INTERIOR COLOR Black Interior Color
- ENGINE 6.4L V8 Heavy Duty HEMI Engine
- TRANSMISSION 8-Spd Auto 8HP75-LCV
- Bluetooth®
- 4WD/AWD
- Aux Input
- Keyless Ignition System
- Satellite Radio
- Cruise Control

MECHANICAL

- 4.10 Axle Ratio
- GVWR: 11,000 lbs
- 50 State Emissions
- Manual Transfer Case
- Part-Time Four-Wheel Drive
- 730CCA Maintenance-Free Battery w/Run Down Protection
- 220 Amp Alternator
- 102 mph Maximum Speed
- Towing Equipment -inc: Trailer Sway Control
- Trailer Wiring Harness
- 4480# Maximum Payload
- HD Shock Absorbers
- Front Anti-Roll Bar and Rear HD Anti-Roll Bar
- Hydraulic Power-Assist Steering
- 52 Gal. Fuel Tank
- Single Stainless Steel Exhaust
- Auto Locking Hubs
- Multi-Link Front Suspension w/Coil Springs
- Solid Axle Rear Suspension w/Leaf Springs
- 4-Wheel Disc Brakes w/4-Wheel ABS, Front And Rear Vented Discs
- Upfitter Switches
- Mechanical Limited Slip Differential

EXTERIOR

- Wheels: 18" x 8.0" Steel
- Tires: LT275/70R18E BSW On/Off Road
- Center Hub
- Black Front Bumper
- Black Side Windows Trim and Black Front Windshield Trim
- Black Door Handles Black Power Heated Side Mirrors w/Convex Spotter, Manual Folding, Turn Signal Indicator and Clearance Lights
- Auto On/Off Aero-Composite Daytime Running Headlamps w/Delay-Off
- Manual Extendable Trailer Style Mirrors
- Fixed Rear Window
- Light Tinted Glass
- Variable Intermittent Wipers
- Galvanized Steel/Aluminum Panels
- Cab Clearance Lights

ENTERTAINMENT

- Radio: Uconnect 3 w/5" Display
- Radio w/Seek-Scan, Clock, Aux Audio Input Jack, Radio Data System and External Memory Control
- Integrated Roof Antenna
- 6 Speakers

-
- GPS Antenna Input
 - SiriusXM Radio Service

INTERIOR

- Bucket Folding Driver Seat w/4 Way Direction Control -inc: Manual Fore/Aft and Adjustable Headrest
- Driver Seat
- Manual Adjust 4-Way Driver Seat
- Bucket Folding Passenger Seat w/4 Way Direction Control -inc: Manual Fore/Aft and Adjustable Headrest
- Passenger Seat
- Manual Adjust 4-Way Front Passenger Seat
- Manual Tilt Steering Column
- Power Rear Windows
- Rear Cupholder
- Proximity Key For Push Button Start Only
- Cruise Control w/Steering Wheel Controls
- Manual Air Conditioning
- HVAC -inc: Underseat Ducts
- Interior Trim -inc: Deluxe Sound Insulation, Metal-Look Instrument Panel Insert and Chrome/Metal-Look Interior Accents
- Full Cloth Headliner
- Urethane Gear Shifter Material
- HD Vinyl 40/20/40 Split Bench Seat
- Day-Night Rearview Mirror
- Passenger Visor Vanity Mirror
- 2 12V DC Power Outlets
- Full Vinyl/Rubber Floor Covering
- Global Telematics Box Module (TBM)
- Remote USB Port - Charge Only
- Integrated Voice Command w/Bluetooth®
- For Details, Visit DriveUconnect.com
- For More Info, Call 800-643-2112
- Instrument Panel Bin, Dashboard Storage, Driver / Passenger And Rear Door Bins and 2nd Row Underseat Storage
- Delayed Accessory Power
- Power 1st Row Windows w/Driver And Passenger 1-Touch Up/Down
- Power Door Locks w/Autolock Feature
- Driver Information Center
- Redundant Digital Speedometer
- Analog Appearance
- Temperature & Compass Gauge
- Seats w/Vinyl Back Material
- Manual Adjustable Front Head Restraints
- Sentry Key Immobilizer
- Air Filtration

SAFETY

- Electronic Stability Control (ESC)
- ABS And Driveline Traction Control
- Side Impact Beams
- RAM Connect Emergency Sps
- Dual Stage Driver And Passenger Front Airbags
- Airbag Occupancy Sensor
- Rear Child Safety Locks
- Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point, Height Adjusters and Pretensioners

OPTIONS

- 2Ga
- 4.10 Axle Ratio
- 50-State Emissions
- 6.0 Additional Gallons of Gas
- 8-Speed Automatic 8HP75-LCV Transmission
- All Radio Equipped Vehicles
- Black Interior Color
- Bright White Clear-Coat Exterior Paint
- Center Hub
- Customer Preferred Package 2TA
- Electronic Shift-On-The-Fly Transfer Case
- For Details, Visit DriveUconnect.com

-
- Front License Plate Bracket
 - Fuel Fill / Battery Charge
 - Global Telematics Box Module (TBM)
 - GPS Antenna Input
 - Integrated Voice Command
 - Temperature and Compass Gauge
 - Uconnect 3 with 5-Inch Touch Screen Display
 - 40/20/40 Split Bench Seat
 - 6.4L V8 Heavy-Duty HEMI MDS Engine
 - Cloth 40/20/40 Bench Seat
 - Customer Preferred Package 2GA
 - Dual-Rear Wheels
 - Full-Size Spare Tire
 - Trailer Brake Controller
 - 12V power outlets 2 12V power outlets
 - 3-point seatbelt Rear seat center 3-point seatbelt
 - 4WD type Part-time 4WD
 - ABS Brakes 4-wheel antilock (ABS) brakes
 - ABS Brakes Four channel ABS brakes
 - Accessory power Retained accessory power
 - Air conditioning Yes
 - Alternator Type Alternator
 - Antenna Integrated roof audio antenna
 - Anti-roll bar front Front anti-roll bar
 - Anti-roll bar rear Heavy-duty rear anti-roll bar
 - Armrests front center Front seat center armrest
 - Armrests front storage Front seat armrest storage
 - Auto door locks Auto-locking doors
 - Auto headlights Auto on/off headlight control
 - Aux input jack Auxiliary input jack
 - Basic warranty 36 month/36,000 miles
 - Battery run down protection
 - Battery type Lead acid battery
 - Beverage holders rear Rear beverage holders
 - Body panels Galvanized steel/aluminum body panels with side impact beams
 - Brake type 4-wheel disc brakes
 - Bulb warning Bulb failure warning
 - Bumpers front Black front bumper
 - Cabin air filter N95+Bio cabin air filter
 - Child door locks Manual rear child safety door locks
 - Clearance lights Cab clearance lights
 - Climate control Manual climate control
 - Clock In-radio display clock
 - Compass
 - Convex spotter Power driver and passenger convex spotter mirrors
 - Corrosion perforation warranty 60 month/100,000 miles
 - Cruise control Cruise control with steering wheel mounted controls
 - Cylinder head material Aluminum cylinder head
 - Day/Night rearview mirror
 - Delay off headlights Delay-off headlights
 - Deluxe sound insulation
 - Door ajar warning
 - Door bins front Driver and passenger door bins
 - Door bins rear Rear door bins
 - Door handle material Black door handles
 - Door locks Power door locks
 - Door mirror style Black door mirrors
 - Door mirror type Manual extendable trailer mirrors
 - Door mirrors Power door mirrors
 - Drive type Four-wheel drive
 - Driver headrest type Adjustable driver seat headrest
 - Driver information center
 - Driver seat back Folding driver seat back
 - Driver seat direction Driver seat with 4-way directional controls
 - Driver seat fore/aft Manual fore/aft
 - Driver seats way-direction 4
 - Dual rear wheels
 - Electronic stability control Electronic stability control system
 - Emergency SOS SiriusXM Guardian vehicle integrated emergency SOS system
 - Emissions Federal emissions
 - Engine block material Iron engine block
 - Engine Cylinders HEMI V8
 - Engine HEMI 6.4L V-8 VVT variable valve control, regular unleaded, engine with cylinder deactivation and 370HP
 - Engine HEMI 6.4L V-8 VVT variable valve control, regular unleaded, engine with cylinder deactivation and 410HP
 - Engine hour meter
 - Engine Location Front mounted engine
 - Engine Mounting direction Longitudinal mounted engine
 - Engine temperature warning
 - Engine/electric motor temperature gage
 - Exterior mirror mounted clearance lights
 - External memory External memory control
 - First-row windows Power first-row windows
 - Floor coverage Full floor coverage

-
- Floor covering Full vinyl floor covering
 - Fob engine controls Keyless Go with push button start
 - Folding door mirrors Manual folding door mirrors
 - Folding rear seats Full folding rear seats
 - Front head restraint control Manual front seat head restraint control
 - Front head restraints Height and tilt adjustable front seat head restraints
 - Front impact airbag driver Driver front impact airbag
 - Front impact airbag passenger Passenger front impact airbag
 - Front reading lights
 - Front seat type 40-20-40 bench front seat
 - Front seat type Split-bench front seat
 - Front seat upholstery Cloth front seat upholstery
 - Front seatback upholstery Cloth front seatback upholstery
 - Fuel Type Regular Unleaded
 - Gage cluster display size (inches) Gage cluster display size: 3.50
 - Gearshifter material Urethane gear shifter material
 - Grille style Black grille
 - Handsfree Uconnect w/Bluetooth® handsfree wireless device connectivity
 - Headlight type Aero-composite headlights
 - Headlights Halogen headlights
 - Headlights on reminder
 - Headliner coverage Full headliner coverage
 - Headliner material Cloth headliner material
 - Heated door mirrors Heated driver and passenger side door mirrors
 - Height adjustable seatbelts Front height adjustable seatbelts
 - High mount stop light High mounted center stop light
 - Ignition Spark ignition system
 - Immobilizer Sentry Key immobilizer
 - Instrumentation display Analog instrumentation display
 - Interior accents Chrome and metal-look interior accents
 - Interior courtesy lights Fade interior courtesy lights
 - Key in vehicle warning
 - LCD primary display size 5 inch primary LCD display
 - License plate front bracket Front license plate bracket
 - Limited slip differential Mechanical limited slip differential
 - Lock-up transmission
 - Locking hub control Auto locking hub control
 - Low level warnings Low level warning for oil, coolant, fuel, washer fluid and brake fluid
 - Manual driver seat controls Driver seat manual reclining and fore/aft control
 - Manual passenger seat controls Passenger seat manual reclining and fore/aft control
 - Mobile app access
 - Multiple headlights Multiple enclosed headlights
 - Number of airbags 2 airbags
 - Number of beverage holders 5 beverage holders
 - Number of doors 4 doors
 - Number of first-row LCD screens 1 total number of 1st row displays
 - Occupancy sensor Airbag occupancy sensor
 - Oil pressure gage
 - Oil temperature gage
 - One-touch down window Driver and passenger one-touch down windows
 - One-touch up window Driver and passenger one-touch up windows
 - Overdrive transmission
 - Paint Clearcoat paint
 - Panel insert Metal-look instrument panel insert
 - Passenger doors rear left Conventional left rear passenger door
 - Passenger doors rear right Conventional right rear passenger door
 - Passenger headrest type Adjustable passenger seat headrest
 - Passenger seat back Folding passenger seat back
 - Passenger seat direction Front passenger seat with 4-way directional controls
 - Passenger seat fore/aft Manual fore/aft
 - Passenger seats way-direction 4
 - Powertrain type ICE
 - Powertrain warranty 60 month/60,000 miles
 - Primary display touchscreen Primary monitor touchscreen
 - Radiator
 - Radio AM/FM/satellite prep/SiriusXM
 - RDS Radio data system (RDS)
 - Rear bench seats Rear bench seat
 - Rear head restraint control Manual rear seat head restraint control

-
- Rear head restraints Height adjustable rear seat head restraints
 - Rear seat check warning Rear Seat Reminder Alert rear seat check warning
 - Rear seat direction Front facing rear seat
 - Rear seat folding position Fold-up rear seat cushion
 - Rear seatback upholstery Carpet rear seatback upholstery
 - Rear seats fixed or removable Fixed rear seats
 - Rear Springs Heavy-duty rear springs
 - Rear under seat ducts Rear under seat climate control ducts
 - Rear windshield Fixed rear windshield
 - Roadside warranty 60 month/100,000 miles
 - Running lights Daytime running lights
 - Satellite trial 6 month satellite trial subscription
 - Seatbelt pretensioners Front seatbelt pretensioners
 - Seatbelt pretensioners number 2 seatbelt pretensioners
 - Seating capacity 6
 - Second-row windows Power second-row windows
 - Seek scan
 - Selectable mode transmission
 - Sequential shift control
 - Service interval warning Service interval indicator
 - Shock absorbers Heavy-duty shock absorbers
 - Shutters Active grille shutters
 - Spare tire location Spare tire mounted on the frame or chassis
 - Speakers number 6 speakers
 - Speakers Standard grade speakers
 - Special paint Monotone paint
 - Speed limiter 102.00 mph speed limiter
 - Speedometer Redundant digital speedometer
 - Split front seats 40-20-40 split-bench front seat
 - Springs front Front coil springs
 - Springs rear Rear leaf springs
 - Steering Hydraulic power-assist steering system
 - Steering type number of wheels 2-wheel steering system
 - Steering type Re-circulating ball steering
 - Steering wheel material Urethane steering wheel
 - Steering wheel tilt Manual tilting steering wheel
 - Suspension ride type front Rigid axle front suspension
 - Suspension ride type rear Rigid axle rear suspension
 - Suspension Standard ride suspension
 - Suspension type front Multi-link front suspension
 - Suspension type rear Leaf spring rear suspension
 - Tachometer
 - Tailpipe Stainless steel single exhaust
 - Temperature display Exterior temperature display
 - Tinted windows Light tinted windows
 - Tires LT235/80SR17 AS BSW front and rear tires
 - Towing brake controller Trailer brake controller
 - Towing trailer sway Trailer sway control
 - Towing wiring harness Trailer wiring harness
 - Traction control All-speed ABS and driveline traction control
 - Trailer light test
 - Transfer case Electronic transfer case shift
 - Transmission 8-speed automatic
 - Transmission electronic control
 - Transmission fluid temperature warning Transmission fluid temp warning
 - Transmission oil cooler
 - Transmission Type Automatic
 - Trip odometer
 - Turn signal in door mirrors Turn signal indicator in door mirrors
 - Turn signal warning Turn signal on warning
 - Under seat tray rear Rear under seat tray
 - Upfitter switches
 - USB ports 5 USB ports
 - Variable intake manifold
 - Variable panel light Variable instrument panel light
 - Ventilated brakes Front and rear ventilated disc brakes
 - Visor passenger mirror Passenger visor mirror
 - Voice activated audio Voice activated audio controls
 - Voltmeter
 - Wheel covers Wheel hub covers
 - Wheels 17 x 6-inch front and dual rear argent steel wheels
 - Window Trim Black side window trim
 - Windshield trim Black windshield trim
 - Wipers Variable intermittent front windshield wipers
 - Wireless streaming Bluetooth® wireless audio streaming

SPECS

- **Electrical**

- Cold Cranking Amps @ 0° F (Primary): 730
- Cold Cranking Amps @ 0° F (2nd): 730
- Maximum Alternator Capacity (amps): 220
- **Weight Information**
 - Base Curb Weight (lbs): 6859
 - Base Curb Weight (lbs): 6519
 - Gross Axle Wt Rating - Front (lbs): 5500
 - Gross Axle Wt Rating - Rear (lbs): 9850
 - Gross Axle Wt Rating - Rear (lbs): 6800
 - Curb Weight - Front (lbs): 3945
 - Curb Weight - Rear (lbs): 2574
- **Trailer**
 - Dead Weight Hitch - Max Trailer Wt. (lbs): 5000
 - Dead Weight Hitch - Max Tongue Wt. (lbs): 500
 - Wt Distributing Hitch - Max Trailer Wt. (lbs): 14990
 - Wt Distributing Hitch - Max Trailer Wt. (lbs): 15330
 - Wt Distributing Hitch - Max Tongue Wt. (lbs): 1499
 - Wt Distributing Hitch - Max Tongue Wt. (lbs): 1533
 - Maximum Trailering Capacity (lbs): 14990
 - Maximum Trailering Capacity (lbs): 15330
- **Suspension**
 - Suspension Type - Front: Multi-Link
 - Suspension Type - Rear: Leaf
 - Spring Capacity - Front (lbs): 5500
 - Spring Capacity - Rear (lbs): 9850
 - Spring Capacity - Rear (lbs): 6800
 - Axle Type - Front: Non-Independent
- **Brakes**
 - Brake Type: 4-Wheel Disc
 - Brake ABS System: 4-Wheel
 - Brake ABS System (Second Line): 4-Wheel
 - Disc - Front (Yes or): Yes
- **Tires**
 - Front Tire Order Code: TV2
 - Front Tire Order Code: TCM
 - Rear Tire Order Code: TV2
 - Rear Tire Order Code: TCM
 - Spare Tire Order Code: TBB
 - Front Tire Size: LT235/80SR17
 - Front Tire Size: LT275/70SR18
 - Rear Tire Size: LT235/80SR17
 - Rear Tire Size: LT275/70SR18
- **Wheels**
 - Front Wheel Size (in): 17 X 6
 - Front Wheel Size (in): 18 X 8
 - Rear Wheel Size (in): 17 X 6
 - Rear Wheel Size (in): 18 X 8
- **Steering**
 - Steering Type: Re-Circulating Ball
- Gross Vehicle Weight Rating Cap (lbs): 13500
- Gross Vehicle Weight Rating Cap (lbs): 13500
- Gross Vehicle Weight Rating Cap (lbs): 11000
- Gross Combined Wt Rating (lbs): 22000
- Axle Type - Rear: Rigid Axle
- Axle Capacity - Front (lbs): 5500
- Axle Capacity - Rear (lbs): 9850
- Axle Capacity - Rear (lbs): 6800
- Axle Ratio (:1) - Front: 4.10
- Axle Ratio (:1) - Rear: 4.10
- Disc - Rear (Yes or): Yes
- Front Brake Rotor Diam x Thickness (in): 14.2
- Rear Brake Rotor Diam x Thickness (in): 14.1
- Spare Tire Size: Full-Size
- Front Tire Capacity (lbs): 6170
- Front Tire Capacity (lbs): 7280
- Rear Tire Capacity (lbs): 10740
- Rear Tire Capacity (lbs): 7280
- Revolutions/Mile @ 45 mph - Front: 638
- Revolutions/Mile @ 45 mph - Front: 614
- Revolutions/Mile @ 45 mph - Rear: 638
- Revolutions/Mile @ 45 mph - Rear: 614
- Spare Wheel Size (in): Full-Size
- Front Wheel Material: Steel
- Rear Wheel Material: Steel
- Spare Wheel Material: Steel

-
- Turning Diameter - Curb to Curb (ft): 54.4
 - **Fuel Tank**
 - Fuel Tank Capacity, Approx (gal): 52
 - **Exterior Dimensions**
 - Wheelbase (in): 172.4
 - Length, Overall (in): 264.2
 - Width, Max w/o mirrors (in): 79.1
 - Height, Overall (in): 80.6
 - Overhang, Front (in): 40.6
 - Overhang, Front (in): 40.8
 - Overhang, Rear w/o bumper (in): 51.2
 - Cab to Axle (in): 60
 - Cab to End of Frame (in): 112.1
 - Ground Clearance, Front (in): 8.7
 - Ground Clearance, Rear (in): 8.7
 - **Interior Dimensions**
 - Passenger Capacity: 6
 - Passenger Capacity: 2
 - Front Head Room (in): 40.9
 - Front Leg Room (in): 40.9
 - Front Shoulder Room (in): 65.9
 - Front Hip Room (in): 62.9
 - **Summary**
 - Vehicle Name: Ram 3500 Chassis Cab
 - Body Style: Crew Cab
 - Body Code: H

WARRANTY

- ☑ Basic Warranty: 36 months / 36,000 miles
- ☑ Drivetrain Warranty: 60 months / 60,000 miles
- ☑ Corrosion Warranty: 60 months / 100,000 miles
- ☑ Roadside Assistance Warranty: 60 months / 100,000 miles

PAINT:

Exterior Color: Bright White C/C (PW7)
 Touch-Up Paint: Bright White C/C (GW7)
 Paint Stick: Part No. 04889598AB

FIRE UNIT:

- 18 HP Vanguard Skid Unit (Gas) Fuel Line hook to the truck
- 250 Gallon Poly Tank
- 265gpm at 50psi 190gpm at 100psi 15gpm at 150psi 45gpm at 200psi.
- 10 Gallon drop in Foam Cell
- Scotty Foam System w/Hardware for Foam Cell
- Lighted Control Panel
- Manifold Outlet
- Tank Fill 1" w/Industrial Ball Valve
- Manifold 1.5" inc (1-1/2" Industrial Ball Valve service line with Cap and Chain)
- Manifold 2.5" inc (2-1/2" Industrial Ball Valve service line with Cap and Chain)
- Suction Inlet
- Standard Suction with 2-1/2" Industrial Ball Valve
- Electric Rewind Hose Reel 1" x 150' EF20-30-31-LT Ship Loose w/push Bottoms
- Set of Chrome Outriggers w/3 way rollers
- Rubber Hose 1" with Tip, Twister w/grip 1" F 10-40 gpm w/Nozzle, Support


BODY: 9 Ft SL WHITE KNAPHEIDE STEEL SERVICE UTILITY BODY

COMPARTMENT INTERIOR DIMENSIONS:

- (2) W: 34" x L: 20" x H: 37" (Driver & Passenger Side)
- (2) W: 47" x L: 20" x H: 17" (Driver & Passenger Side)
- (2) W: 33" x L: 20" x H: 36" (Driver & Passenger Side)

TOOL BOXES ON TOP:

- (2) W: 16".5 x L:96" x H: 18" (Driver & Passenger Side) Buyer Aluminum Top Mount Tool Box or Similar
- Bottom Drawers with 3 Organizers for each drawer
- Made of .063" Thick Aluminum Diamond Tread
- Secure Stainless Steel Folding / Locking T Handles
- Weather Resistant Rain Gutter Design
- Full Rubber Seal



HEIGHT		
	WATER TANK (A)	OVERALL (B)
200 GALLONS	19-3/4"	28-3/4"
250 GALLONS	24-5/8"	33-5/8"
300 GALLONS	29-1/2"	38-1/2"

VERIFIED BY: _____ DATE: 12-05-15 CREATED BY: _____		TITLE : - U.S. GAL. WATER - U.S. GAL. F.C.		WARNING : THIS DOCUMENT REMAINS THE PROPERTY	SIZE A
		No: _____			

TOLERANCE	
XX = 1/16"	
XX = 1/32"	
XXX = 1/64"	

Compartment
 Interior dimension
 L1 - R1 - L2 - R2
 35' x 45' x 19'
 L3 - R3
 47' x 25 1/4' x 21'
 L4
 29' x 96' x 20 1/2'
 H1 - H2
 22' x 96 1/2' x 10'
 A1
 24' x 5' x 106'

